

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	675999	@pd>"20051223"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:18
L2	25005	TLB OR (translation ADJ (lookaside OR look-aside) ADJ buffer\$3) OR (address near3 (translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 table\$1) OR ERAT OR (page\$1 near3 table\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:19
L3	4004	(variable OR multiple OR assorted OR different OR diverse\$4 OR many OR numerous\$2 OR several\$2 OR various OR varie\$1 OR vary\$3) near4 (page\$1) near4 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:19
L4	3647	((711/6) or (711/202) or (711/203) or (711/206-209)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/05/30 08:19
L5	406	((711/212) or (711/221)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/05/30 08:19
L6	215797	PSI OR ((page\$1) near4 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR designat\$3 OR label\$3 OR select\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:19
L7	3923	(L4 OR L5)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:19
L8	70	L2 SAME (L3 SAME L6) AND L7	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:19
L9	3	L1 AND L8	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:24

EAST Search History

L10	212987	PSI OR ((page\$1) near4 (size\$1) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR label\$3 OR select\$3 OR entr\$3 OR field\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:24
L11	1018	L2 AND L3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:24
L12	87	L11 AND (L10 near10 (table\$1 near5 entr\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:24
L13	66	L12 AND L7	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:24
L14	6	L1 AND L13	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:25
L15	84	L11 AND (L10 near5 (table\$1 near5 entr\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:25
L16	64	L15 AND L7	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:25
L17	6	L1 AND L16	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:27
L18	212866	PSI OR ((page\$1) near4 (size\$1) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR label\$3 OR select\$3 OR field\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:27
L19	50	L11 AND (L18 near5 (table\$1 near5 entr\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:27
L20	6	L1 AND L19	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:28

EAST Search History

L21	19	(PSI OR ((page\$1) near4 (size\$1) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR label\$3 OR select\$3 OR field\$1))) ADJ5 (based OR contingent OR correspond\$3 OR depend\$3) ADJ5 (page\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:28
L22	2	L1 AND L21	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:30
L23	234865	(translat\$3 OR decod\$3 OR map\$1 OR mapp\$3 OR compar\$4) near3 (enabl\$3 OR bypass\$3 OR disabl\$3 OR activ\$5 OR inactiv\$5 OR avoid\$3 OR abstain\$3 OR permit\$4 OR inhibit\$3 OR prohibit\$3 OR prevent\$3 OR restrict\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:30
L24	25005	TLB OR (translation ADJ (lookaside OR look-aside) ADJ buffer\$3) OR (address near3 (translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 table\$1) OR ERAT OR (page\$1 near3 table\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:30
L25	4004	(variable OR multiple OR assorted OR different OR diverse\$4 OR many OR numerous\$2 OR several\$2 OR various OR varie\$1 OR vary\$3) near4 (page\$1) near4 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:30
L26	1018	L24 AND L25	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:30
L27	406	((711/212) or (711/221)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/05/30 08:30
L28	7	L26 AND L23 AND (L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:30
L29	1	L1 AND L28	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:31

EAST Search History

L30	3647	((711/6) or (711/202) or (711/203) or (711/206-209)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/05/30 08:31
L31	98	((writ\$3 OR add\$3) near4 (EA OR ((effective OR virtual OR logical OR linear) ADJ2 address\$2))) SAME L23	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:31
L32	39	L31 AND (L30 OR L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:31
L33	4	L1 AND L32	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:32
L34	9	L1 AND L31	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:34
L35	95656	(translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 (enabl\$3 OR bypass\$3 OR disabl\$3 OR activ\$5 OR inactiv\$5 OR permit\$4 OR inhibit\$3 OR prohibit\$3 OR prevent\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:34
L36	72	((writ\$3 OR add\$3) near4 (EA OR ((effective OR virtual OR logical OR linear) ADJ2 address\$2))) SAME L35	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:34
L37	9	L1 AND L36	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:35
L38	219164	PSI OR ((each OR individual\$2 OR separate) near3 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3 OR length\$1) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR designat\$3 OR label\$3 OR select\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:35
L39	7	L38 AND (L24 SAME L25) AND (L30 OR L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:35

EAST Search History

L40	0	L1 AND L39	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:36
L41	12	L38 AND (L24 AND L25) AND (L30 OR L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:36
L42	0	L1 AND L41	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:37
L43	474447	PSI OR ((each OR individual\$2 OR separate OR select\$3 OR choos\$3 OR every) near3 ((size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3 OR length\$1) near4 (indicat\$3 OR identif\$4 OR bit\$1 OR byte\$1 OR flag\$1 OR status OR designat\$3 OR label\$3 OR select\$3)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:37
L44	57	L43 AND (L24 SAME L25) AND (L30 OR L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:37
L45	3	L1 AND L44	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:42
L46	378869	(base OR default OR initial OR preferred OR primary OR principal OR fundamental) near3 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3 OR length\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:42
L47	12	L46 SAME (L24 SAME L25) AND (L30 OR L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:42
L48	1	L1 AND L47	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:43
L49	55	L46 AND (L24 SAME L25) AND (L30 OR L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:43

EAST Search History

L50	5	L1 AND L49	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:49
L51	265	L24 AND (L35 WITH (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:49
L52	71	L51 AND (L30 OR L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:49
L53	7	L1 AND L52	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:54
L54	1539	(translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 ((compar\$3 OR examin\$3 OR hit\$1 OR match\$3 OR inspect\$3) near3 (size\$1 OR magnitude\$1 OR area\$1 OR dimension\$1 OR range\$1 OR capacit\$3 OR length))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:54
L55	11	L54 AND L35 AND (L30 OR L27)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:54
L56	0	L1 AND L55	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:56
L57	1012	(translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 ((compar\$3 OR examin\$3 OR hit\$1 OR match\$3 OR inspect\$3) near3 (EA OR entr\$3 OR ((effective OR virtual OR logical OR linear) ADJ2 address\$2)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:56
L58	3647	((711/6) or (711/202) or (711/203) or (711/206-209)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/05/30 08:56
L59	406	((711/212) or (711/221)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/05/30 08:56

EAST Search History

L60	95656	(translat\$3 OR decod\$3 OR map\$1 OR mapp\$3) near3 (enabl\$3 OR bypass\$3 OR disabl\$3 OR activ\$5 OR inactiv\$5 OR permit\$4 OR inhibit\$3 OR prohibit\$3 OR prevent\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:56
L61	11	(L57 SAME L60) AND (L58 OR L59)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 08:56
L62	0	L1 AND L61	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:09
L63	930272	(base OR default\$2 OR initial\$2 OR principal\$2 OR fundamental\$2 OR small\$3) near5 (page\$1 OR siz\$3 OR magnitude\$1 OR dimension\$1 OR length\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:39
L64	197	(L63 WITH L43) AND L24	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:15
L65	153	(L63 near5 L43) AND L24	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:16
L66	29008	("711").CLAS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/05/30 09:16
L67	43	L65 AND L66	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:16
L68	52469	(no OR none OR "not necessary" OR "not require" OR "not required" OR disabl\$3 OR prohibit\$3) near5 (translat\$4 OR decod\$3 OR map\$1 OR mapp\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:41
L71	136135	(identical\$2 OR equal\$2 OR exact OR "same") near5 (bit\$1 OR byte\$1 OR flag\$1 OR flagg\$3 OR tag\$1 OR tagg\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:55
L72	4	(L68 near5 L71) SAME L24	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:55

EAST Search History

L73	5	(L68 WITH L71) SAME L24	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:49
L75	22	(L68 SAME L71) SAME L24	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:50
L76	348255	(identical\$2 OR equal\$2 OR exact OR "same") near5 (entr\$3 OR line\$1 OR tag\$1 OR tagg\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:55
L77	6	(L68 near5 L76) SAME L24	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:57
L78	8	(L68 WITH L76) SAME L24	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:58
L79	44	(L68 SAME L76) SAME L24	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:15
L80	370	translat\$4 near5 (enabl\$3 OR disabl\$3) near5 (bit\$1 OR byte\$1 OR tag\$1 OR tagg\$3 OR flag\$1 OR flagg\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:19
L81	11	L80 SAME ((TLB\$ OR (translation ADJ (lookaside OR look-aside) ADJ buffer\$3) OR ERAT OR PTE OR (page ADJ table\$1)) near3 entr\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:38
L82	19	(L80 SAME entr\$3) AND ((TLB\$ OR (translation ADJ (lookaside OR look-aside) ADJ buffer\$3) OR ERAT OR PTE OR (page ADJ table\$1)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:39

EAST Search History

S85	32	(US-20050125623-\$ or US-20050027961-\$ or US-20030204702-\$ or US-20050021925-\$ or US-20040215918-\$ or US-20030196065-\$ or US-20030196066-\$ or US-20020156962-\$ or US-20020133685-\$).did. or (US-6715057-\$ or US-6772281-\$ or US-6751583-\$ or US-6625715-\$ or US-6647482-\$ or US-6233652-\$ or US-6549997-\$ or US-5956756-\$ or US-6078987-\$ or US-5963984-\$ or US-5895501-\$ or US-5907867-\$ or US-5617554-\$ or US-5835963-\$ or US-5796978-\$ or US-5526504-\$ or US-5475827-\$ or US-5479627-\$ or US-5426750-\$ or US-5465337-\$ or US-5446854-\$ or US-5375214-\$ or US-6446189-\$).did.	US-PGPUB; USPAT	OR	ON	2006/05/25 16:51
S86	15	(translat\$4 OR decod\$3 OR map\$1 OR mapp\$3 OR convert\$3 OR TLB\$1) near5 (bypass\$3 OR disabl\$3 OR inactiv\$6 OR inhibit\$3 OR prohibit\$4 OR prevent\$3 OR deactivat\$3) AND S85	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/25 16:51